(*h*) The lessee or sub-lessee, his agents or maistries and servants shall be held responsible for any fires caused by negligence either by themselves or by their workmen and shall prevent the occurrence of fires in the Forests in which they may be working and render prompt assistance in extinguishing such fires as may break out accidentally. They will be liable also under the Forest Regulation irrespective of any action that may be taken under the contract.

(*i*) The lessee or sub-lessee shall remove out of the limits of the Taluk before the 30th June 1932 all the produce collected and stored under the terms of the lease.

(*j*) Neither the lessee nor sub-lessee nor his employees shall enter the State Forests either before sunrise or after sunset.

(*k*) No collection of the Minor Forest Produce will be permitted in the State Forests during the fire season, *i.e.*, from the 15th February to end of April of each year.

(*l*) The lessee or sub-lessee shall not interfere with the recognised rights of Inamdars.

(*m*) The lessee or sub-lessee has no right to the produce or trees on occupied lands and the Village Amarayi as detailed in para 1 above.

(*n*) No damage will be caused to the trees while collecting the Minor Forest Produce; any such damage will be assessed by the Range Forest Officer, which will be approved by the District Forest Officer. The District Forest Officer's decision in the assessment of the damages will be final. The assessed damages will be recovered from the security deposit of the lessee.

(*o*) The lessee or sub-lessee shall hold himself responsible for the acts of his agents or servants in the business of collection and transport.

10. In the event of breach of any of these conditions, the lease will be cancelled or the security amount forfeited in whole or in part or both; these penalties will be enforced at the discretion of the District Forest Officer, or the Conservator of Forests, as the case may be. In the case of mere forfeiture of the deposit amount in part or in full, the difference will be made good immediately by the contractor and if not, the lease will be cancelled and resold at the risk of the original purchaser who will be liable for any loss which will become recoverable as an arrear of land revenue but not participate in any profits.

C. A. JABBAR,
District Forest Officer.

CHITALDRUG DISTRICT.

Abstract Notification dated 6th August 1932.

The attention of the public is invited to the sale notification of fuel coupes of Chitaldrug District, published on pages 881—882, Part VI, of the *Mysore Gazette*, dated 11th August 1932.

B. N. IYENGAR,
District Forest Officer.

ENGINEERING DEPARTMENT.

ELECTRICAL DEPARTMENT.

Abstract Notification, dated 1st August 1932.

The attention of the public is invited to the detailed notification dated the 29th July 1932, calling for tenders for extending the Office of the Superintendent, Power and Lighting, Bangalore, published in Part VI of pages 854 and 855 of the *Mysore Gazette*, lated 4th August 1932.

The latest date for receiving tenders is 19th August 1932.

Abstract Notification dated 8th August 1932.

The attention of the public is invited to the detailed notification published in the *Mysore Gazette*, dated 11th August 1932, Part VI of the page 880 inviting tenders for taking and supplying photoes at Jog Falls, for a period of 4 months. Tenders should reach my office not later than the 12 noon of the 29th August 1932. Earnest money required is Rs. 100. Copies of the notification will be sent on application.

Notification dated 9th August 1932.

Notice is hereby given that sealed tenders will be received at the Office of the Chief Electrical Engineer, Bangalore, up to 2 P.M., on the 29th August 1932, for constructing two Blocks of four Operators' quarters with latrines at Closepet.

1. The tenders will be opened in public at 2 P.M., on the 29th August 1932 The works should be completed within four months and the monthly progress should not be less than Rs. 1,750.

2. The quantities given are approximate, and the plans, detailed estimates and conditions may be seen at the Chief Electrical Engineer's Office, Bangalore, on all working days during the office working hours.

3. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed. The rates should be in figures as well as in words.

4. Each tender must be accompanied by a deposit of Rs. 300 in cash or in Government promissory notes, as earnest money and be superscribed "Tenders for constructing Residential buildings at Closepet," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Chief Electrical Engineer who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender. The Chief Electrical Engineer also reserves the right to accept or reject any portion of the tender.

6. Within eight days of the award of the tender, the successful tenderer will be required to execute the usual contract bond in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful tenderer will be posted on the Notice Board in the Chief Electrical Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. The construction work should be started within a week from the date of the Notification of the acceptance.

10. Water for construction should be got at the Contractor's own expense.

11. Specifications for works are those recognised by the Mysore Public Works Department and Marryot's specifications.

12. The Contractor should be bound by conditions of schedule of contract of the Electrical Department.

Statement showing approximate quantities of work for constructing one unit of Operator's Quarters for accommodating two families and one block of latrine at Closepet.

Sl. No.	Description of items	Unit	Quantity in	
			Operators' quarters	Latrine
1	Earth work excavation and filling in basement	C. yd.	51	4
2a	Stone jelly in ordinary mortar concrete foundation.	C. ft.	577	...
b	Stone in clay foundation and basement including through stones fixed at 6'—0" centre to centre in every course.	„	1,055	136
c	Burnt brick in clay superstructure ...	„	2,108	...
d	Do in mortar do ...	„	440	196
e	Stone slabs 6" thick roughly dressed and set in mortar.	S. ft.	237	...
f	Do 4" thick set in lime mortar ...	„	24	...
g	Chunam plastering 2 coats ...	Sqrs.	56·36	4·91
h	Chunam pointing with thread lines ...	„	2·10	0·56
i	White and colour washing 2 coats ...	„	58·46	5·47
j	Binding wall 1·1/8' x 9" brick in mortar and chunam plastered.	R. ft.	44	...
k	Plain cornice 6" projection brick in mortar and chunam plastered complete.	„	44	...
l	Constructing sinks complete ...	Each	2	...

Serial No.	Description of items	Unit	Quantity in	
			Operators' quarters	Latrine
2m	Providing stone mortar and pestle including fixing.	Each	2	...
3	Flooring with 3" concrete with cement plastering 1/4" thick finished smooth and even.	Sqr.	8·79	...
4a	Roofing with 1st class Mangalore tiles on teak wood reepers 2" x 1" including wood oiling to reepers.	„	10·72	...
b	Ridge tiles set in mortar and cement pointed ...	R. ft.	41	..
c	Roofing with Cudappa slabs 1½" thick with 3" brick concrete and 2 layers of flat tiles and surface plastered and ceiling cement pointed and whitewashed.	Sqr.	3·20	..
d	Burnt brick in mortar cornice projection 9" complete.	R. ft.	63	...
e	Burnt brick in mortar parapet wall 9" thick ...	„	59	...
f	Ventilating tiles as per description ...	Each	8	...
5a	Mattywood wrought and put up with 2 coats of wood oiling.	C. ft.	34·17	...
b	Steel girders fixed complete (Tatas make) ...	C. wt.	19·13	...
c	Doors with teak wood frames with honney wood battened shutters 1" thick with fittings etc. complete.	S. ft.	279·5	...
d	Windows with teak wood frames and honney wood battened shutters 1" thick with iron bars 5/8" dia. with all necessary fittings, etc., complete.	„	116	...
e	Honney wood planks 1¼" thick for shelves with teak wood pegs fixed complete.	„	48	...
f	Chocolate painting two coats ...	Sqr.	13·76	...
g	Expanded metal 3" x 1½" x 1/8" with teak wood frames fixed complete including doorway.	S. ft.	116	...
6	Rain water down pipe 3" dia. fixed complete ...	R.ft.	25	...
7	Brick in mortar pillar 1·⅛ square with base and capital complete with chunam plaster 7'—7" high.	Each	1	...
8	Galvanised sheet sun shades on teakwood battens painted with chocolate, two coats.	„	6	...
9	Electric lighting and water supply ...	1 item	Departmental.	
10	Cement plastering ½" thick	Sqr.	...	0·79
11	Tar washing two coats	„	...	0·63
12	Flooring with 3" concrete and cement plaster ½" thick.	„	...	0·35
13	Fixing outlets and constructing drains, etc. ...	1 item	...	L. S.
14	Providing galvanised iron sheet tubs 12" x 6" with handles, etc., complete with tarring.	Each	..	6

C. M. CARIAPA,
Chief Electrical Engineer.

KOLAR DIVISION.

Abstract Notification, dated 26th July 1932.

The attention of the public is invited to the notification published in the issue of the *Mysore Gazette*, dated 4th August 1932, in Part VI of pages 839 and 840 calling for tenders for the work of restoring Jodi Bellur Sebbinakere, Regd. No. 0/646 of Malur Taluk.

he last date fixed for the acceptance of tender is 27th August 1932 up to 2 P.M.

C. T. NARASIMHA IYENGAR,
Executive Engineer.

SPECIAL DIVISION.

Notice dated 5th August 1932.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Special Division, Mysore up to 23rd August 1932, till 12 noon for improvements to the Sergeants' Quarters in the compound of Government House, Mysore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of October 1932.

2. The detailed estimate and conditions may be seen at the Executive Engineer's Office Special Division, at Mysore, between the hours of 11 A.M. to 5 P.M. on working days.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of rupees two hundred (Rs. 200) in cash as earnest money, and be superscribed "Tender for Improvements to Sergeants' Quarters in the compound of Government House, Mysore, in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer of Mysore Special Division, Mysore, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled, and his earnest money forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. No tender stating "percentage less than the lowest tender or as per estimated rates" will be accepted.

10. Once the tender has been accepted no claim for any concessions or higher rates will be entertained.

11. The work should be executed as per specification to be given by the Executive Engineer, Special Division.

12. The decision of the Chief Engineer, in all matters regarding measurements, rates etc., shall be final and legally binding.

13. The rates tendered should include all incidental charges for water, electric power, scaffolding, etc.

Abstract estimate for Improvements to Sergeant's Quarters in the compound of Government House, Mysore.

Sl. No.	Items of Work	Unit	Quantity	Rate	
				In figures	In words
1	Earth work excavating foundation and filling in basement including consolidation.	C.yd.	129	Rs.	Rs.
2	Removing Mangalore tiled roof including wood work and stacking.	Sqr.	2·88		
3	Dismantling burnt brick in mortar wall and stacking debris.	C.ft.	463		
4	Quartz jelly 1 : 2½ concrete in lime mortar ...	,,	1,195		
5	Burnt brick in mortar foundation and basement.	,,	1,984		
6	Burnt brick in mortar superstructure ..	,,	2,583		
7	Wire cut brick in mortar superstructure ..	,,	98		
8	Burnt stone slabs 6" thick roughly dressed and fixed in mortar.	S.ft.	325		
9	Arch work in burnt brick in mortar complete...	C.ft.	26		
10	Cutting notches 4" x 3½" x 2" in cill slabs of doors and fixing.	Each	8		
11	Two line dressing burnt stone slabs ...	S.ft.	120		
12	Chamfering edges of burnt stone slabs ...	R.ft.	93		

Sl. No.	Details of works	Units	Quantity	Rate	
				In figures	In words
				Rs.	Rs.
13	Teakwood doors with panelled shutters $1\frac{1}{4}''$ thick frame 4" x $3\frac{1}{2}''$ and iron fittings, etc., complete without cills.	S.ft.	84·5		
14	Refixing old door 3' x $6\frac{1}{2}'$ got from Dismantling including repairs.	No.	1		
15	Providing and fixing windows 3' x 4 size frame 4" x 3" with lower-half panelled and top half glazed shutters, in four parts, with $1\frac{1}{4}''$ thick $\frac{3}{4}''$ dia. iron bars, etc., and all iron fittings, etc., complete.	S.ft.	60		
16	Providing and fixing a Teakwood glazed ventilater.	,,	5·25		
17	Granite Jelly cement concrete pillars of 1 : 3 : 6 (proportion) 12" overall diametre including $\frac{1}{2}''$ chunam plaster with reinforced base and capital slabs and simple cornices including plastering, etc., complete with an arrangement to fix the Barge Boards.	R.ft.	62·5		
18	Kadapa slab wall plates $1\frac{1}{2}''$ thick and laid on mortar bed, etc.	S.ft.	176		
19	Cutting groves in old wall for fixing joists and inserting terrace.	R.ft.	19		
20	Rolled steel joists of British Standard specifications including hoisting, etc., and fixing in position including one coat of painting with anti-kerosine paint.	Cwt.	56·3		
21	Tie rods, distant pieces, fish plates cutting, etc. including drilling all holes, threads, providing bolts and nuts, etc. complete.	Lbs.	100		
22	Jack arched terrace with kappi in quick lime 1 to 2 portion and two courses of flat tiles, etc. complete (meston proporition) 1 : $1\frac{1}{2}$: quicklime and sand.	Sqrs.	11·75		
23	Band cornice ($2\frac{1}{4}''$ x 6") 12" deep in two bands of $2\frac{1}{4}''$ x 6" each including plastering, etc. complete.	R.ft.	148		
24	Burnt Brick in mortar parapet wall 12" x $4\frac{1}{2}''$ with 9" x 6" base, etc., complete including plastering, etc., as per design during execution.	,,	148		
25	Boxing girders, etc., complete (1: 2 proportion)	R.ft.	84		
26	Plastering with chunam mortar ...	Sqs.	41·80		
27	Flooring with botany jelly cement concrete 1: 2 : 4 proportion $1\frac{1}{2}''$ thick and cement plaster $\frac{1}{2}''$ thick above, etc., complete over 4" chunam concrete bed, etc., complete with expansion joints.	,,	8·14		
28	Cement concrete cills as above without chunam concrete bed.	S.ft.	38		
29	Providing and fixing 3" diar. G. I. pipes including two coats of white lead.	R.ft.	68		
30	White washing two coats	Sqs.	41·80		
31	Painting silver gray or any approved paint two coats.	,,	4·66		
32	Providing and fixing T. W. ornamental barge board, between verandah pillars with perforaties, etc., as per design during execution.	S.ft.	203		

V. V. PATANKAR,
Executive Engineer.

MYSORE DIVISION.

Dated 12th August 1932.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Mysore Division, up to 12 noon on 2nd September 1932, for constructing a new Public Works Department Sub-Division Office at Nagamanagala. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of March 1933.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Mysore Division, between the hours of 11 A.M. to 5 P.M. on working days.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 150 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for constructing a Public Works Department Sub-Division Office at Nagamangala," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will on no account be increased thereafter.

Abstract estimate for constructing a building for the Public Works Department Sub-Division Office at Nagamangala.

No.	Items of work	Per	Quantity
1	Levelling ground and opening approach road to building and constructing tunnel.	Lump	sum
2	Earth work excavating foundation and filling in basement ...	C. yds.	57
3	Stone jelly concrete in mortar	C. ft.	531
4	Stone in chunam mortar foundation and basement ...	,,	1,114
5	Burnt brick in clay	,,	1,636
6	Burnt brick in mortar	,,	210
7	Burnt stone slabs 6″ thick dressed and fixed	S. ft.	268
8	Providing teakwood battened door with hings hold fasts, etc., complete.	,,	137
9	Providing teakwood battened windows with $\frac{3}{4}$″ iron bar, hings hold fasts, hooks, bolts rings, etc., complete.	,,	162
10	Providing burnt stone cut pillars $\frac{3}{4}$ square with capital and base with dressing complete.	Each	4
11	Teakwood work wrought and put up	C. ft.	120·62
12	Roofing with 1st class Mangalore tiles over teak reepers 2″ by 1″ including fixing.	Sqr.	10·89
13	Ridge tiles set in mortar and cement pointing	R. ft.	85½
14	Plain zinc sheet for valley portion and chunam gutter and cement plastering and pointing tiles.	S. ft.	70
15	Supplying and fixing ornamental eave board 1″ by 9″ ...	R. ft.	124
16	Teakwood finials fixed complete	Each	3
17	Teakwood pendents	,,	10
18	Flooring with 9″ square Mangalore tiles 3″ over concrete bed and cement pointing complete.	Sqr.	4·11
19	Cuddappah slab flooring over 3″ concrete bed and cement pointing complete.	,,	2·00
20	Plastering with chunam mortar 2 coats	,,	36·00
21	White washing 2 coats	,,	36·00
22	Colour washing 2 coats out side	,,	12·00
23	Cement pointing to basement	,,	2·00
24	Silicate chocolate painting exposed portion	,,	5·04
25	Wood oiling 2 coats inside	,,	10·43
26	Tarring to wood work 2 coats	Sqr.	4·00
27	Mortar bands over roof and edges tiles of valley	R. ft.	60

6 C

K. NARAYANA IYENGAR,
Executive Engineer.

DAM CONSTRUCTION AND No. I IRWIN CANAL DIVISION KRISHNARAJASAGARA.

Abstract Notification, dated 1st August 1932.

The attention of the public is invited to the Notification on pages 856 and 857 of Part VI of the *Mysore Gazette*, dated 4th August 1932, calling for tenders for constructing two Officials' Quarters at Yedatore New Town.

The last date for receiving the tender is 29th August 1932.

N. SARABHOJA,
Executive Engineer.

ARASALU-ANANDAPURAM RAILWAY CONSTRUCTION DIVISION.

Notification dated 12th August 1932.

Sealed tenders are invited from contractors who are willing to undertake sinking a Loco well of 12 ft. diameter at Anandapuram on Arasalu-Anandapuram Railway.

2. Tenders should be submitted in special forms which can be obtained from the Assistant Engineer-in-charge, Arasalu-Anandapuram Railway Construction Division, Shimoga, on payment of Rupees two which amount is not refundable under any circumstances.

3. Tenders should be addressed to the Assistant Engineer-in-charge, Arasalu-Anandapuram Railway Construction Division, Shimoga, and should reach him not later than 12 Noon on 5th September 1932, in sealed covers superscribed, "Tender for Loco well at Anandapuram."

4. No tender will be considered which is not in the prescribed form.

5. Rates should be noted both in figures and in words. Tenders which quote rates as "Estimate Rates" or some per cent more or less, will not be considered.

6. The work tendered should be completed in all respects by 30th June 1933.

7. The name of the accepted tenderer will be posted on the Notice Board of the Assistant Engineer's Office, Shimoga, soon after the approval by the Superintendent, Way and Works, Mysore Railways, Mysore, and no enquiries regarding the acceptance or rejection of tenders, will be replied.

8. The final acceptance of the tender, will rest with the Superintendent, Way and Works, Mysore Railways, Mysore, who does not bind himself to accept the lowest or any tender and who further reserves to himself the right to reject without assigning any reason therefor, any or all the tenders or any portion of any one tender.

9. Every tender should be accompanied by an earnest money of Rs. 100 which can be paid either to the Assistant Engineer-in-charge, Shimoga, along with the tender, or paid to the Auditor, Mysore Railways, Mysore, and the receipt thereof enclosed along with the tender. Such of the tenderers, that pay the amount to the Auditor, should advise him that the amount is paid on account of tender for "Sinking a Loco well at Anandapuram."

10. The earnest money of unsuccessful tenderers will be returned as soon as the tenders are disposed of.

11. The earnest money of successful tenderers will be accepted as part payment towards deposit due by them as para 14 below.

12. Tenders which are not accompanied with the earnest money specified in para 9 *supra*, will not be considered.

13. Successful tenderers should execute within eight days from the date of acceptance of tenders, the usual railway schedule contract bond. Failure to comply with this condition will render the tenderer liable for forfeiture of the earnest money.

14. Successful tenderers should deposit with the Assistant Engineer-in-charge, Shimoga, before they sign the schedule agreement, 5 per cent of the value of work given out to them, such sum not to exceed Rs. 250.

15. Work should be started within 15 days from the date of acceptance of tenders and the stipulated monthly progress should be kept up, failing which, the contractor shall pay a penalty as may be fixed up by the Superintendent, Way and Works, for delay unaccounted or not satisfactorily explained, in completing the work as per terms of agreement, and in addition, shall forfeit his deposit.

16. Sub-letting of work or transferring Powers by Power of Attorney to others is strictly prohibited.

17. Plans, specifications and other datails of work to be done are available for inspection in the Assistant Engineer's Office, Shimoga, where intending contractors may call and obtain necessary information during office hours.

18. In all matters of dispute regarding rates, measurements, quality of work, etc., and in all disputes of any kind, the decision of the Superintendent, Way and Works, Mysore Railways, Mysore, will be final and legally binding.

Schedule of approximate quantities of work to be done for sinking a Loco well at Anandapuram.

Sl. No.	Description of works	Unit	Quantity
1	Earthwork excavation—		
	1st fathom hard earth	C. ft.	1,207
	2nd do hard earth mixed with gravel ...	,,	1,207
	3rd do gravelly soil ...	,,	1,207
	4th do gravel mixed with boulders ..	,,	1,207
	5th do gravel mixed with laterite ...	,,	1,207
	6th do soft rock by wedges ...	,,	1,207
	7th do laterite sheet rock ...	,,	1,207
2	Baling water below 20′ depth	R. ft.	22
3	Laterite dry stone steining	C. ft.	2,673
4	Gravel backing behind steining upto 30′ depth ...	,,	754
5	Stone jelly backing below 30′ depth	,,	292
6	Burnt stone slabs 6″ thick 2 lines dressed to be placed over steining.	S. ft.	64
7	Burnt stone slabs 6″ thick roughly dressed to be placed over steining.	,,	98
8	Parapat wall with laterite size stone in mortar ...	C. ft.	160
9	Pointing with cement	S. ft.	239
10	Providing pulley (wooden) with all fittings complete ...	No.	1
11	Fixing pulley on rails	No.	1
12	Well curbs for slipping if nacessary	Lump sum	
13	Earthwork ramp all round well including watering and tamping.	Lump sum	

NOTE.—Rails, cement, etc., required for the work will be supplied free of cost at Arasalu Railway Station.

D. V. NARASIMHA RAO,
Assistant Engineer-in-charge,
Arasalu-Anandapuram Railway.

KADUR DIVISION.

CHICKMAGALUR.

Abstract Notification

The attention of the public is invited to the detailed notice calling for tenders for constructing an anicut across Byranjihalla, Chickmagalur Taluk, on pages 761 to 763 Part VI of the *Mysore Gazette* dated 21st July 1932. The work has to be completed by the end of June 1934.

Earnest money to be furnished is Rs. 320.

The last date of receiving tender is extended to 3 P.M., on 1st September 1932.

L. A. H. WINCKLER,
Executive Engineer.

CHITALDRUG DIVISION.

Abstract Notification, dated Camp Harihar 29th July 1932.

The attention of the public is hereby invited to the advertisement page Nos. 841 and 842 of Part VI of the *Mysore Gazette* dated 4th August 1932, calling for tenders for extending the Uruthal Channel, Molakalmuru Taluk, Chitaldrug District.

R. THIPPAIYA,
Executive Engineer.

MEDICAL DEPARTMENT.

EPIDEMIC DISEASES HOSPITAL, MYSORE.

Tender Notice.

Notice is hereby given that sealed tenders in triplicate on half sheet foolscap sized paper will be received at the Office of the Medical Officer, Epidemic Diseases Hospital, Mysore from 7 A.M. to 9 A.M. on 28th August 1932, for the supply of "Bedding and Clothing" and servants uniform required for the Epidemic Diseases Hospital, Mysore, for the year 1932-33.

2. No tender will be received after the date and hour abovementioned.

3. Tenders to be superscribed "Tender for the supply of Bedding and Clothing to the Epidemic Diseases Hospital, Mysore for the year 1932-33.

4. No tender will be received unless accompanied by a deposit of Rs. 50 in treasury receipts.